

Safety Data Sheet (SDS)

<i>Revision Number:</i> 2.0	<i>Last updated</i> August 27, 2017
<u>1. Product and Company Identification</u>	
<i>Product Name:</i>	Ninhydrin Test Kit This test kit consists of three bottles of reagents. It is used to check if the coupling of a protected amino acid to the amino group of the resin is complete.
<i>Manufacturer/Supplier:</i>	AnaSpec, Inc. www.anaspec.com 34801 Campus Drive Fremont, CA 94555 Tel: 510-791-9560 Fax: 510-791-9572 Email: service@anaspec.com Kaneka Eurogentec SA, Rue du Bois Saint Jean 5 4102 Seraing Belgium Tel. +32-4-3727400 Fax. +32-4-3727500 E-mail info@eurogentec.com Kaneka Eurogentec Helpdesk Tel. +32-4-3727665
<i>Catalog Number</i>	AS-25241
<u>2. Hazards Identification</u>	
<i>Emergency Overview:</i> We do recommend handling all chemicals with caution. Use proper protective equipment when handling chemicals. To our knowledge, the hazards of this material have not been thoroughly investigated.	
<i>GHS Hazard Classification:</i>	
H225 Flammable liquid (Category 2) H301 Acute Toxicity, Oral (Category 3) H330 Acute Toxicity, Inhalation (Category 2) H311 Acute Toxicity, Dermal (Category 3) H314 Skin corrosion (Category 3) H318 Serious Eye damage (Category 1) H341 Germ cell mutagenicity (Category 2) H373 Specific target organ toxicity- repeated exposure (Category 2) H402 Acute aquatic toxicity (Category 3) H412 Chronic aquatic toxicity (Category 3)	
<i>GHS Signal Words:</i> DANGER	

AnaSpec Inc.

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

GHS Hazard Symbol/Pictogram:*GHS Hazard Statements:*

H225 Flammable liquid and vapor.

H301+H311 Toxic if swallowed or in contact with skin.

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

GHS Precautionary Statements:

P210 Keep away from heat/sparks open flames/hot surfaces. –No smoking.

P233 Keep containers tightly closed.

P240 Ground/bond containers and receiving equipments.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P243 Take precautionary measures against static discharge.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/ face protection.

P284 Wear respiratory protection.

P301, P330, IF SWALLOWED: rinse mouth. Do not induce vomiting.

P331P303, P361,P353 IF ON SKIN: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304, P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305, P351, P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P361 Remove/take off immediately all contaminated clothing.

P370, P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P403, P233 Store in well-ventilated place. Keep containers tightly closed.

P405 Store locked up.

P501 Dispose of contents/containers to an approved waste disposal plant.

Potential Health Effects for:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Skin: In case of contact, immediately wash skin with soap and copious amount of water.

Eyes: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

AnaSpec Inc.

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

Chronic Exposures: No information available. We recommend limiting prolonged exposure.

Target Organs: No information available

HMIS Classification

Health hazard: 3

Flammability: 3

Reactivity Hazard: 0

NFPA Rating

Health hazard: 3

Fire: 3

Reactivity Hazard: 0

3. Composition / Information on Ingredients

Ingredients/Components:

Chemical Name	CAS Number	Concentration	Molecular Weight
Potassium Cyanide	151-50-8	KCN	65.12
Ninhydrin	485-47-2	C9H6O4	178.14
Phenol	108-95-2	C6H5OH	94.11
Pyridine	110-86-1	C5H5N	79.10
Ethanol	64-17-5	C2H5OH	46.07

4. First Aid Measures

<i>Inhalation:</i>	If dust is inhaled, remove from contaminated area. Encourage patient to blow nose to ensure clear passage of breathing. If irritation or discomfort persists seek medical attention.
<i>Ingestion:</i>	If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice
<i>Skin:</i>	If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
<i>Eyes:</i>	If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention.

AnaSpec Inc.

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

<u>5. Fire Fighting Measures</u>	
<i>Extinguishing media:</i>	Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide
<i>Special firefighting procedures:</i>	Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use
<i>Unusual fire and explosions hazards:</i>	Emits toxic fumes under fire conditions
<u>6. Accidental Release Measures</u>	
<i>Spill response</i>	Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal
<i>Containment</i>	Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignition source. Do NOT cut, drill, grind or weld such containers
<i>PPE</i>	Use personal protective equipment
<u>7. Handling and Storage</u>	
Store at 4 °C desiccated and protected from light. Store away from oxidizing agent.	

AnaSpec Inc.

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

8. Exposure Controls / Personal Protection	
<i>Engineering controls</i>	<p>Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction.</p> <p>Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the workplace.</p> <p>If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of:</p> <p>(a): particle dust respirators, if necessary, combined with an absorption cartridge;</p> <p>(b): filter respirators with absorption cartridge or canister of the right type;</p> <p>(c): fresh-air hoods or masks</p> <p>Build-up of electrostatic charge on the dust particle, may be prevented by bonding and grounding.</p> <p>Powder handling equipment such as dust collectors, dryers and mills may require additional protection measures such as explosion venting.</p> <p>Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to efficiently remove the contaminant.</p>
<i>PPE</i>	<p>Respiratory protection</p> <p>Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).</p> <p>Hand protection</p> <p>Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.</p> <p>Eye protection</p> <p>Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).</p> <p>Skin and body protection</p> <p>Complete suit protecting against chemicals, Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.</p> <p>Hygiene measures</p> <p>Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product</p>
9. Physical and Chemical Properties	
<i>Physical State</i>	Solution
<i>Odour</i>	Not available
<i>Solubility in Water</i>	Not available
<i>Specific Gravity</i>	Not available
<i>pH</i>	Not available
<i>Boiling Point</i>	N/A
<i>Melting Point</i>	Not available
<i>Flash Point</i>	N/A
<i>Vapor Pressure:</i>	N/A
<i>Vapor Density:</i>	N/A

AnaSpec Inc.

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

10. Stability and Reactivity	
<i>Thermal Decomposition</i>	No data available
<i>Dangerous Products of Decomposition</i>	No data available
<i>Dangerous Reactions</i>	CO _x , NO _x when burned
Keep container tightly closed in a dry well-ventilated place. Store in 4°C refrigerator.	
11. Toxicological Information	
<i>RTECS Number</i>	N/A
<i>Toxicity</i>	No information available.
<i>Health Hazards</i>	Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern.
<i>Potential Hazards</i>	Not available
<i>Carcinogenicity:</i>	No significant acute toxicological data identified
<i>OSHA Permissible Exposure Limit(PEL) Data</i>	N/A
<i>ACGIH Threshold Limit Values (TLV)</i>	N/A
<i>Reproductive Toxicity:</i>	No information available
12. Ecological Information	
No information available.	
13. Disposal Considerations	
All waste must be handled in accordance with local, state and federal regulations. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.	
14. Transport Information	
<i>Hazard Class</i>	N/A
<i>Identification Number</i>	N/A
<i>Packing Group</i>	N/A
<i>Proper Shipping Name (DOT)</i>	N/A
15. Regulatory Information	
<u>California Proposition 65: N/A</u>	
<u>US TSCA (Toxic Substance Control Act): N/A</u>	
<u>US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A</u>	
<u>US SARA Title III (Superfund Amendments and Reauthorization Act: N/A</u>	
<u>US Other: N/A</u>	
<u>EC EINECS (European Inventory of Existing Commercial Chemical Substances) Number: N/A</u>	
<u>EC Risk Statements: N/A</u>	

AnaSpec Inc.

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

Other Country Regulations: N/A

16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.

AnaSpec Inc.

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573