Safety Data Sheet (SDS)

Revision Number: 3.0		Last updated 31 July 2019		
1. Product and Company Identification				
Product Name:		Like Peptide 1, GLP - 1 (7 - 36), am <i>TF TSD VSS YLE GQA AKE FIA WLV</i>	,	
Manufacturer/Supplier:	Kaneka Eur Rue du Bois Tel. +32-4-3 Fax. +32-4- E-mail info	ec.com pus Drive A 94555 1-9560 1-9572 ce@anaspec.com ogentec SA, s Saint Jean 5 4102 Seraing Belgium 3727400 3727500 @eurogentec.com ogentec Helpdesk		
Catalog Number Relevant identified uses of the	AS-22462;			
substance/preparation and uses advised against				
Emergency information		act the regional Eurogentec representations aneka Eurogentec S.A. directly (from		
protective equipment (PPE) when hand have not been thoroughly investigated. GHS Hazard Classification:	lling chemicals	dling all chemicals with caution. Use prop. To our knowledge, the hazards of this mater		
		ance according to the GHS angerous substance according to the GHS		
GHS Signal Words: None				

GHS Hazard Statements: None

GHS Precautionary Statements: None

Potential Health Effects for:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Good hygiene practice requires that exposure be kept to a minimum and that suitable control

measures be used in an occupational setting.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Skin: In case of contact, immediately wash skin with soap and copious amount of water.

Eyes: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Chronic Exposures: No information available. We recommend limiting prolonged exposure.

Target Organs: No information available

HMIS Classification

Health hazard: 0

Chronic Health Hazard: 0

Flammability: 0
Physical hazards: 0

NFPA Rating

Health hazard: 0

Fire: 0

Reactivity Hazard: 0

3. Composition

Ingredients/Components:

Chemical Name: Glucagon - Like Peptide 1, GLP - 1 (7 - 36), amide, human

H - HAE GTF TSD VSS YLE GQA AKE FIA WLV KGR - NH2

Molecular formula: NA Molecular weight: 3297.9

CAS-No NA EC-No NA

4. First Aid Measures

~ , , ,			
Inhalation:	If dust is inhaled, remove from contaminated area.		
	Encourage patient to blow nose to ensure clear passage of breathing.		
	If irritation or discomfort persists seek medical attention.		
Ingestion:	If swallowed do NOT induce vomiting.		
	If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to		
	maintain open airway and prevent aspiration.		
	Observe the patient carefully.		
	Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably		
	drink.		
	Seek medical advice.		
Skin:	If skin or hair contact occurs:		
	Flush skin and hair with running water (and soap if available).		
	Seek medical attention in event of irritation.		
Eyes:	If this product comes in contact with the eyes:		
	Wash out immediately with fresh running water.		
	Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the		
	eyelids by occasionally lifting the upper and lower lids.		
	If pain persists or recurs seek medical attention.		

	ures	Water spray or fog.
Extinguishing media:		Alcohol resistant foam.
		Dry chemical powder.
		BCF (where regulations permit).
		Carbon dioxide
Special firefighting procedures:		Alert Emergency Responders and tell them location and nature of hazard.
		Wear breathing apparatus plus protective gloves.
		Prevent, by any means available, spillage from entering drains or water course.
		Use water delivered as a fine spray to control fire and cool adjacent area.
		DO NOT approach containers suspected to be hot.
		Cool fire exposed containers with water spray from a protected location.
		If safe to do so, remove containers from path of fire.
		Equipment should be thoroughly decontaminated after use.
Unusual fire and explosions hazards:		Emits toxic fumes under fire conditions
6. Accidental Release	Measures	
Spill response Remov		11 * * * *
spiii response		ll ignition sources.
spui response	Clean up a	all spills immediately.
spui response	Clean up a Avoid con	all spills immediately. atact with skin and eyes.
Sput response	Clean up a Avoid con Control pe	all spills immediately. An area of the state of the stat
Sput response	Clean up a Avoid con Control pe Use dry cl	all spills immediately. Itact with skin and eyes. Personal contact by using protective equipment. ean up procedures and avoid generating dust.
	Clean up a Avoid con Control pe Use dry cl Place in a	all spills immediately. Antact with skin and eyes. Bersonal contact by using protective equipment. Bean up procedures and avoid generating dust. Bean up suitable, labeled container for waste disposal
Containment	Clean up a Avoid cor Control pe Use dry cl Place in a Avoid all	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation.
	Clean up a Avoid cor Control pe Use dry cl Place in a Avoid all Wear prot	all spills immediately. Itact with skin and eyes. Personal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs.
	Clean up a Avoid cor Control pe Use dry cl Place in a Avoid all Wear prot Use in a w	all spills immediately. Itact with skin and eyes. Personal contact by using protective equipment. ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area.
	Clean up a Avoid cor Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT	all spills immediately. Itact with skin and eyes. Personal contact by using protective equipment. Itace an up procedures and avoid generating dust. Itace suitable, labeled container for waste disposal Itace personal contact, including inhalation. Itace ective clothing when risk of exposure occurs. Itace eventually including inhalation. Italian eventually inh
	Clean up a Avoid cor Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT DO NOT	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Interest and avoid generating dust. Interest and avoid g
	Clean up a Avoid cor Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Interest and avoid generating dust. Interest and avoid g
	Clean up a Avoid cor Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Interest and avoid generating dust. Interest and avoid g
	Clean up a Avoid cor Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Interest and avoid generating dust. Interest and avoid g
	Clean up a Avoid cor Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont Avoid phy	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Intact with skin and eyes. Personal contact by using protective equipment. Intact with skin and eyes. Interest and avoid generating dust. Interest and avoid generat
	Clean up a Avoid cor Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont Avoid phy Always w	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Interest and avoid generating dust. Interest and avoid g
	Clean up a Avoid cor Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont Avoid phy Always w Use good	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Intact with skin and eyes. Personal contact by using protective equipment. Interest and avoid generating dust. Interest and avoi
	Clean up a Avoid cor Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont Avoid phy Always w Use good Empty cor	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Interest and avoid generating dust. Interest and avoid g
	Clean up a Avoid cor Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont Avoid phy Always w Use good Empty cor following source.	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Interest with skin and eyes. It will be a view of the specific of the speci
	Clean up a Avoid cor Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont Avoid phy Always w Use good Empty cor following source.	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Interest and avoid generating dust. Interest and avoid g
	Clean up a Avoid cor Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont Avoid phy Always w Use good Empty cor following source. Do NOT of	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Interest and avoid generating dust. Interest and avoid g
Containment	Clean up a Avoid cor Control pe Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT DO NOT Avoid cor When han Keep cont Avoid phy Always w Use good Empty cor following source. Do NOT of	all spills immediately. Intact with skin and eyes. Personal contact by using protective equipment. Intact with skin and eyes. It was an avoid generating dust. It was a suitable, labeled container for waste disposal It personal contact, including inhalation. It was a sective clothing when risk of exposure occurs. It well-ventilated area. It was a seen the confined spaces until atmosphere has been checked. It with incompatible materials. It wit

9 Evmaguma Cantuala	/ Dangamal Duatacti	om		
8. Exposure Controls				
Engineering controls		ocal exhaust ventilation is required where solids are handled as powders or crystals;		
		lates are relatively large, a certain proportion will be powdered by		
	mutual friction.			
	Exhaust ventilation should be designed to prevent accumulation and re-circulation of			
	particulates in the workplace.			
	If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of: (a): particle dust respirators, if necessary, combined with an absorption cartridge; (b): filter respirators with absorption cartridge or canister of the right type;			
	(c): fresh-air hood			
Build-up of elect		rostatic charge on the dust particle, may be prevented by bonding and		
	grounding.			
		equipment such as dust collectors, dryers and mills may require		
		ion measures such as explosion venting.		
		generated in the workplace possess varying "escape" velocities which,		
		the "capture velocities" of fresh circulating air required to efficiently		
DDE	remove the contan			
PPE	Use personal prote	ective equipment		
9. Physical and Chemi	ical Properties			
Physical State	White Powder			
Odour	Not available			
Solubility in Water	Not available			
Specific Gravity	Not available			
pH	Not available			
Boiling Point	Not available			
Melting Point	Not available			
Flash Point	N/A			
Vapor Pressure:	N/A			
Vapor Density:	N/A			
10. Stability and Read	etivity			
Thermal Decomposition	n	No data available		
Dangerous Products of	Decomposition	No data available		
Dangerous Reactions		COx, NOx when burned		
Keep container tightly of	closed in a dry well-v	ventilated place. Store in -20 °C, dry refrigerator.		
11. Toxicological Info	rmation			
RTECS Number		N/A		
T		NT. 1. C (1		

Toxicity

No information available.

Health Hazards	Although ingestion is not thought to produce harmful
	effects, the material may still be damaging to the
	health of the individual following ingestion, especially
	where pre-existing organ (e.g. liver, kidney)
	damage is evident. In an occupational setting however,
	ingestion of insignificant quantities is not thought to be
	cause for concern.
Potential Hazards	Not available
Carcinogenicity:	No significant acute toxicological data identified
OSHA Permissible Exposure Limit(PEL) Data	N/A
ACGIH Threshold Limit Values (TLV)	N/A

Reproductive Toxicity:

No information available

12. Ecological Information

No information available.

13. Disposal Considerations

All waste must be handled in accordance with local, state and federal regulations. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

14. Transport Information

Hazard Class	N/A
Identification Number	N/A
Packing Group	N/A
Proper Shipping Name (DOT)	N/A

15. Regulatory Information

California Proposition 65: N/A

US TSCA (Toxic Substance Control Act): N/A

US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A

US SARA Title III (Superfund Amendments and Reauthorization Act: N/A

US Other: N/A

EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A

EC Risk Statements: N/A

Other Country Regulations: N/A

16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed

to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.