Safety Data Sheet (SDS)

Revision Number: 4.0	Last updated 23 July 2019			
1. Product and Company Identification				
Product Name:	OVA (329 - 337)			
	H - AAH AEI NEA - OH			
Manufacturer/Supplier:	AnaSpec, Inc.			
	www.anaspec.com			
	34801 Campus Drive			
	Fremont, CA 94555			
	Tel: 510-791-9560			
	Fax: 510-791-9572			
	Email: service@anaspec.com			
	Kaneka Eurogentec SA,			
	Rue du Bois Saint Jean 5 4102 Seraing Belgium			
	Tel. +32-4-3727400			
	Fax. +32-4-3727500			
	E-mail info@eurogentec.com			
	Kaneka Eurogentec Helpdesk			
	Tel. +32-4-3727665			
Catalog Number	AS-64777			
Relevant identified uses of the	For laboratory use only.			
substance/preparation and uses advised	, ,			
against				
Emergency information	Please contact the regional Eurogentec representation in your			
	country or Kaneka Eurogentec S.A. directly (from 8 am to 6			
	[pm)			
2. Hazards Identification				
Ç .	ecommend handling all chemicals with caution. Use proper dling chemicals. To our knowledge, the hazards of this material			
	angerous substance according to the GHS ards: Not a dangerous substance according to the GHS			
GHS Signal Words: None				

GHS Hazard Statements: None

GHS Precautionary Statements: None

Potential Health Effects for:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Good hygiene practice requires that exposure be kept to a minimum and that suitable control

measures be used in an occupational setting.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Skin: In case of contact, immediately wash skin with soap and copious amount of water.

Eyes: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Chronic Exposures: No information available. We recommend limiting prolonged exposure.

Target Organs: No information available

HMIS Classification

Health hazard: 0

Chronic Health Hazard: 0

Flammability: 0
Physical hazards: 0

NFPA Rating

Health hazard: 0

Fire: 0

Reactivity Hazard: 0

3. Composition

Ingredients/Components:

Chemical Name: **OVA (329 - 337)**

H - AAH AEI NEA - OH

Molecular formula: NA Molecular weight: 925.0

CAS-No NA EC-No NA

4. First Aid Measures

Inhalation:	If dust is inhaled, remove from contaminated area.			
	Encourage patient to blow nose to ensure clear passage of breathing.			
	If irritation or discomfort persists seek medical attention.			
Ingestion:	If swallowed do NOT induce vomiting.			
	If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.			
	Observe the patient carefully.			
	Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably			
	drink.			
	Seek medical advice.			
Skin:	If skin or hair contact occurs:			
	Flush skin and hair with running water (and soap if available).			
	Seek medical attention in event of irritation.			
Eyes:	If this product comes in contact with the eyes:			
j	Wash out immediately with fresh running water.			
	Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the			
	eyelids by occasionally lifting the upper and lower lids.			
	If pain persists or recurs seek medical attention.			

Extinguishing media:		Water spray or fog.			
Extinguishing meata.		Alcohol resistant foam.			
		Dry chemical powder.			
		BCF (where regulations permit).			
		Carbon dioxide			
Special firefighting procedures:		Alert Emergency Responders and tell them location and nature of			
		hazard.			
		Wear breathing apparatus plus protective gloves.			
		Prevent, by any means available, spillage from entering drains or water			
		Course.			
		Use water delivered as a fine spray to control fire and cool adjacent			
		DO NOT approach containers suspected to be hot.			
		Cool fire exposed containers with water spray from a protected location.			
		If safe to do so, remove containers from path of fire.			
		Equipment should be thoroughly decontaminated after use.			
		Equipment should be thoroughly decontainment after use.			
Unusual fire and explos	sions hazards:	Emits toxic fumes under fire conditions			
·					
6. Accidental Release	Measures				
Spill response		Remove all ignition sources.			
		all spills immediately.			
	Avoid con	tact with skin and eyes.			
		ersonal contact by using protective equipment.			
	Use dry cl	ean up procedures and avoid generating dust.			
	Use dry cl Place in a	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal			
Containment	Use dry cl Place in a Avoid all	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation.			
Containment	Use dry cl Place in a Avoid all Wear prot	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs.			
Containment	Use dry cl Place in a Avoid all Wear prot Use in a w	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area.			
Containment	Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked.			
Containment	Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT DO NOT	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils.			
Containment	Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT DO NOT Avoid con	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. utact with incompatible materials.			
Containment	Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT DO NOT Avoid con When han	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. utact with incompatible materials. dling, DO NOT eat, drink or smoke.			
Containment	Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. ttact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use.			
Containment	Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. utact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. visical damage to containers.			
Containment	Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy Always w	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. utact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling.			
Containment	Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy Always w Use good	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. etact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice.			
Containment	Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. attact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. visical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate			
Containment	Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. etact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice.			
Containment	Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con following source.	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. stact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate			
Containment PPE	Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con following source. Do NOT o	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. stact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. visical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate ignition			
	Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con following source. Do NOT o	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. stact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. vsical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate ignition cut, drill, grind or weld such containers			
	Use dry cl Place in a Avoid all Wear prot Use in a w DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con following source. Do NOT o	ean up procedures and avoid generating dust. suitable, labeled container for waste disposal personal contact, including inhalation. ective clothing when risk of exposure occurs. vell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. stact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. visical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate ignition cut, drill, grind or weld such containers			

8. Exposure Controls / Po	ersonal Protection					
e n	ocal exhaust ventilation is required where solids are handled as powders or crystals; when particulates are relatively large, a certain proportion will be powdered by utual friction. Acknowledge of the prevent accumulation and re-circulation of the proportion will be designed to prevent accumulation and re-circulation of the proportion will be designed to prevent accumulation and re-circulation of the proportion will be designed to prevent accumulation and re-circulation of the proportion will be powdered by the proportion will be powdered by the proportion will be powdered by the proportion will be provided by the proportion will be powdered by the proportion will be provided by the provided by the proportion will be provided by the proportion will be provided by the prov					
	particulates in the workplace. If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of: (a): particle dust respirators, if necessary, combined with an absorption cartridge; (b): filter respirators with absorption cartridge or canister of the right type;					
	(c): fresh-air hoods or masks Build-up of electrostatic charge on the dust particle, may be prevented by bonding and grounding. Powder handling equipment such as dust collectors, dryers and mills may require additional protection measures such as explosion venting.					
P						
			the workplace possess varying "escape" velocities which,			
		-	e velocities" of fresh circulating air required to efficiently			
	emove the contamir Use personal protect		amont .			
rre L	se personal protect	ive equip	ment			
9. Physical and Chemical	Properties					
Physical State	White Solid					
Odour	Not available					
Solubility in Water						
Specific Gravity	Not available					
pH	Not available Not available					
Boiling Point	Not available					
Melting Point	Not available					
Flash Point	N/A					
Vapor Pressure:	N/A					
Vapor Density:	N/A					
10. Stability and Reactive	itv					
		No data	available			
*			No data available			
		COx, NOx when burned				
Dungerous reactions		0011,11				
Keep container tightly clos	ed in a dry well-ver	ntilated p	lace. Store in -20 °C, dry refrigerator.			
11. Toxicological Informa	ation					
RTECS Number			N/A			
Toxicity			No information available.			
Health Hazards			Although ingestion is not thought to produce harmful			
			effects, the material may still be damaging to the			
			health of the individual following ingestion, especially			
			where pre-existing organ (e.g. liver, kidney)			
			damage is evident. In an occupational setting however,			
			ingestion of insignificant quantities is not thought to be			
Dotontial Hazanda			cause for concern.			
Potential Hazards			Not available			

Carcinogenicity:	No significant acute toxicological data identified
OSHA Permissible Exposure Limit(PEL) Data	N/A
ACGIH Threshold Limit Values (TLV)	N/A
	<u> </u>

Reproductive Toxicity: No information available

12. Ecological Information

No information available.

13. Disposal Considerations

All waste must be handled in accordance with local, state and federal regulations. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

14. Transport Information

Hazard Class	N/A
Identification Number	N/A
Packing Group	N/A
Proper Shipping Name (DOT)	N/A

15. Regulatory Information

California Proposition 65: N/A

US TSCA (Toxic Substance Control Act): N/A

US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A

US SARA Title III (Superfund Amendments and Reauthorization Act: N/A

US Other: N/A

EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A

EC Risk Statements: N/A

Other Country Regulations: N/A

16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.