Material Safety Data Sheet (MSDS)

Revision Number: 1.1		Last updated: 04/10/201 3	
1. Product and Company Ident	ification		
Product Name:	Fmoc - Lys(Me3) - OH chloride		
Manufacturer/Supplier:	AnaSpec, Inc.	25) Off Chiloride	
managaciaren suppuer.	www.anaspec.	com	
	34801 Campus		
	Fremont, CA 9		
	Tel: 510-791-9		
	Fax: 510-791-9		
	Email: service	@anaspec.com	
Catalog Number		3099-F05; 53099-F1	
Unit Size	100 mg; 1 g; 10		
2. Hazards Identification			
GHS Hazard Classification:			
GHS Physical Hazards: N/A			
GHS Health and Environme	ntai Hazards: N/A		
CUS Signal Words: N/A			
GHS Signal Words: N/A GHS Hazard Statements: N	/ A		
GHS Precautionary Statements. N			
HMIS Classification	ents. N/A		
Health hazar	1. 0		
Chronic Hea			
Flammability			
Physical haza			
NFPA Rating	aus. o		
Health hazard: 0			
Fire: 0			
Reactivity Hazard: ()		
· ·			
3. Composition / Information o	<u>n Ingredients</u>		
Ingredients/Components:			
Synonyms : Fmoc - Lys(Me3) - C	H chloride		
Formula: C24H31ClN2O4			
Molecular Weight: 446.97 g/mol			
CAS #: 201004-29-7			
4. First Aid Measures			
		g, give artificial respiration.	
		person is conscious. Call a physician.	
Skin: In case of skin co	ontact, flush with plenty am	ount of water at least 15 minutes.	

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate

flushing by separating the eyelids with fingers. Call a physician.

Eyes:

Extinguishing media:		Water spray, Carbon dioxide, alcohol-resistant foam, dry chemical powder.
Emily medici.		mater spray, caroon diomae, aromor resistant rount, ary entimetar powder.
Special firefighting procedures:		Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.
Unusual fire and explosions hazards:		Emits toxic fumes under fire conditions.
6. Accidental Release	e Measures	
Spill response	Evacuate area, avoid breathing vapors, mist or gas	
Containment	Sweep up and shovel. Do not let product enter drains. Keep in suitable, closed containers for disposal	
		or, chemical safety goggles, rubber boots, and heavy rubber gloves
7. Handling and Stor		
Precautions for safe ha		
Provide appropriate ex	haust ventilation at pla	nces where dust is formed.
Conditions for soft ato	ma a a	
Conditions for safe sto	rage	
K aan container tightly		all ventilated place
	closed in a dry and we	ell-ventilated place.
Keep container tightly Recommended storage	closed in a dry and we	ell-ventilated place.
Recommended storage	closed in a dry and we temperature: 2 - 8 °C	
Recommended storage 8. Exposure Controls	closed in a dry and we temperature: 2 - 8 °C s/Personal Protection	<u>.</u> <u>n</u>
Recommended storage 8. Exposure Controls Engineering controls	closed in a dry and we temperature: 2 - 8 °C S / Personal Protection Mechanical exhaus	n t required.
Recommended storage 8. Exposure Controls	closed in a dry and we temperature: 2 - 8 °C S / Personal Protection Mechanical exhaus Respiratory protect appropriate governing of dusts is desired,	t required. ion is not required. Use respirators and components tested and approved under ment standards such as NIOSH (US) or CEN (EU). If protection from nuisance level use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government
8. Exposure Controls Engineering controls PPE	closed in a dry and we temperature: 2 - 8 °C S/Personal Protection Mechanical exhaus Respiratory protect appropriate government of dusts is desired, approved respiratory	t required. ion is not required. Use respirators and components tested and approved under ment standards such as NIOSH (US) or CEN (EU). If protection from nuisance level
8. Exposure Controls Engineering controls PPE 9. Physical and Chen	closed in a dry and we temperature: 2 - 8 °C S / Personal Protection Mechanical exhaus Respiratory protect appropriate governor of dusts is desired, approved respirator nical Properties	t required. ion is not required. Use respirators and components tested and approved under ment standards such as NIOSH (US) or CEN (EU). If protection from nuisance level use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government
8. Exposure Controls Engineering controls PPE 9. Physical and Chen Physical State	closed in a dry and we temperature: 2 - 8 °C S / Personal Protection Mechanical exhaus Respiratory protect appropriate governor of dusts is desired, approved respirator nical Properties solid	t required. ion is not required. Use respirators and components tested and approved under ment standards such as NIOSH (US) or CEN (EU). If protection from nuisance level use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government
8. Exposure Controls Engineering controls PPE 9. Physical and Chen Physical State Odor	closed in a dry and we temperature: 2 - 8 °C S / Personal Protection Mechanical exhaus Respiratory protect appropriate governor of dusts is desired, approved respirator mical Properties solid N/A	t required. ion is not required. Use respirators and components tested and approved under ment standards such as NIOSH (US) or CEN (EU). If protection from nuisance level use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government
8. Exposure Controls Engineering controls PPE 9. Physical and Chen Physical State Odor Solubility in Water	closed in a dry and we temperature: 2 - 8 °C S / Personal Protection Mechanical exhaus Respiratory protect appropriate governor of dusts is desired, approved respirator mical Properties solid N/A N/A	t required. ion is not required. Use respirators and components tested and approved under ment standards such as NIOSH (US) or CEN (EU). If protection from nuisance level use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government
8. Exposure Controls Engineering controls PPE 9. Physical and Chen Physical State Odor Solubility in Water Specific Gravity	closed in a dry and we temperature: 2 - 8 °C S/Personal Protection Mechanical exhaus Respiratory protect appropriate government of dusts is desired, approved respirator mical Properties solid N/A N/A N/A	t required. ion is not required. Use respirators and components tested and approved under ment standards such as NIOSH (US) or CEN (EU). If protection from nuisance level use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government
8. Exposure Controls Engineering controls PPE 9. Physical and Chen Physical State Odor Solubility in Water Specific Gravity PH	closed in a dry and we temperature: 2 - 8 °C S / Personal Protection Mechanical exhaus Respiratory protect appropriate governor of dusts is desired, approved respirator mical Properties solid N/A N/A	t required. ion is not required. Use respirators and components tested and approved under ment standards such as NIOSH (US) or CEN (EU). If protection from nuisance level use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government
8. Exposure Controls Engineering controls PPE 9. Physical and Chen Physical State Odor Solubility in Water Specific Gravity PH	closed in a dry and we temperature: 2 - 8 °C S/Personal Protection Mechanical exhaus Respiratory protect appropriate government of dusts is desired, approved respirator mical Properties solid N/A N/A N/A N/A N/A	t required. ion is not required. Use respirators and components tested and approved under ment standards such as NIOSH (US) or CEN (EU). If protection from nuisance level use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government
8. Exposure Controls Engineering controls PPE 9. Physical and Chen Physical State Odor Solubility in Water Specific Gravity PH Boiling Point	closed in a dry and we temperature: 2 - 8 °C S/Personal Protection Mechanical exhaus Respiratory protect appropriate governor of dusts is desired, approved respirator mical Properties solid N/A N/A N/A N/A N/A N/A N/A	t required. ion is not required. Use respirators and components tested and approved under ment standards such as NIOSH (US) or CEN (EU). If protection from nuisance level use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government
8. Exposure Controls Engineering controls PPE 9. Physical and Chen Physical State Odor Solubility in Water Specific Gravity PH Boiling Point Melting Point	closed in a dry and we temperature: 2 - 8 °C S / Personal Protection Mechanical exhaus Respiratory protect appropriate governs of dusts is desired, approved respirator mical Properties solid N/A	t required. ion is not required. Use respirators and components tested and approved under ment standards such as NIOSH (US) or CEN (EU). If protection from nuisance level use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government
8. Exposure Controls Engineering controls PPE 9. Physical and Chen Physical State Odor Solubility in Water Specific Gravity PH Boiling Point Melting Point Flash Point	closed in a dry and we temperature: 2 - 8 °C S / Personal Protection Mechanical exhaus Respiratory protect appropriate governor of dusts is desired, approved respirator mical Properties solid N/A N/A N/A N/A N/A N/A N/A N/	t required. ion is not required. Use respirators and components tested and approved under ment standards such as NIOSH (US) or CEN (EU). If protection from nuisance level use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government
Recommended storage 8. Exposure Controls Engineering controls PPE 9. Physical and Chen Physical State Odor Solubility in Water Specific Gravity pH Boiling Point Melting Point Flash Point Vapor Pressure: Vapor Density:	closed in a dry and we temperature: 2 - 8 °C S/Personal Protection Mechanical exhaus Respiratory protect appropriate governs of dusts is desired, approved respirator mical Properties solid N/A N/A N/A N/A N/A N/A N/A N/	t required. ion is not required. Use respirators and components tested and approved under ment standards such as NIOSH (US) or CEN (EU). If protection from nuisance level use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government
8. Exposure Controls Engineering controls PPE 9. Physical and Chen Physical State Odor Solubility in Water Specific Gravity pH Boiling Point Melting Point Flash Point Vapor Pressure: Vapor Density: 10. Stability and Rea	closed in a dry and we temperature: 2 - 8 °C S / Personal Protection Mechanical exhaus Respiratory protect appropriate governor of dusts is desired, approved respirator mical Properties solid N/A	t required. ion is not required. Use respirators and components tested and approved under ment standards such as NIOSH (US) or CEN (EU). If protection from nuisance levels use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government
Recommended storage 8. Exposure Controls Engineering controls PPE 9. Physical and Chen Physical State Odor Solubility in Water Specific Gravity pH Boiling Point Melting Point Flash Point Vapor Pressure: Vapor Density:	closed in a dry and we temperature: 2 - 8 °C S/Personal Protection Mechanical exhaus Respiratory protect appropriate governor of dusts is desired, approved respirator mical Properties solid N/A	t required. ion is not required. Use respirators and components tested and approved under ment standards such as NIOSH (US) or CEN (EU). If protection from nuisance level use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government c, chemical-resistant gloves, safety goggles, other protective clothing.

11. Toxicological Information			
RTECS Number	N/A		
Toxicity	N/A		
Health Hazards	N/A		
Potential Hazards	Skin contact: May cause skin irritation Skin absorption: may be harmful if absorbed through the skin Inhalation: Material may be irritating to mucous membranes and upper respiratory tract, May be harmful if inhaled Ingestion: May be harmful if swallowed		
Carcinogenicity:	N/A		
OSHA Permissible Exposure Limit(PEL) Data	N/A		
ACGIH Threshold Limit Values (TLV)	N/A		

12. Ecological Information

N/A

13. Disposal Considerations

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

14. Transport Information

UN Number	N/A
Hazard Class	This substance is considered to be non-hazardous for transport.
Identification Number	N/A
Packing Group	N/A
Proper Shipping Name (DOT/IATA)	Not dangerous product.

15. Regulatory Information

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

OSHA Hazards

No known OSHA hazards

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.